


# Metcalfe's Law, P2P, and Complexity

..or: There Be Dragons

Owen Densmore

<http://backspaces.net>



# ■ ■ ■ Three Points


**1:** The Internet is Frozen

**2:** => Peer Systems

**3:** New Tools: Complexity

# Metcalfe's Law Repealed!

- Metcalfe's Law: The value of a network
  - $V(n) \sim n^2$
  - ...assuming a complete, combinatorial graph
- But Web Created Hub/Spoke Imbalance
  - DHCP/DynDNS, MCast, IPSec, IPv6, NAT, FireWall




# Hub/Spoke Problems

- **DHCP:** Nameless; No Dynamic DNS
  - Phones, Fax: Yes      Computers: No
- **Security:** So why not after all these years?
  - HTTPS good enough.
- **Multicast:** Not Just Media
  - Cheap Session Management
  - Serverless Server: <http://MCastChannel/...>
- OK .. If the Internet is Frozen, How Fix?
  - **Peers -> Application Level Protocols**

# Peer To Peer: Combinatorial Again




- Began as File Sharing
  - Server: Napster, Serverless: Gnutella, Freenet
  - Clip2: Analysis and Super Peer
- ..But Way Beyond Files:
  - Emerging New Network: Application Protocols
  - Key: **Deterministic -> Statistical!!**




# Two Worlds: Complexity & P2P

- Complexity: Whole  $\gg$  Sum of Parts
- Rapid Awareness in P2P World
  - Small World Networks: 6 Degrees
  - Dynamic Network  $\rightarrow$  Power Law
  - Tools: Agent Systems
- Complexity Help:
  - Session Scaling
  - Local Knowledge Search
  - Connected Network
  - Trust & Reputation



# Simulation



# Late Breaking News

## Search in Power-Law Networks

Lada A. Adamic\*  
Stanford University  
Dept. of Applied Physics

Rajan M. Lukose†  
HP Sand Hill Labs  
Palo Alto, CA 94304

Amit R. Puniyani‡  
Stanford University  
Dept. of Physics

Bernardo A. Huberman§  
HP Sand Hill Labs  
Palo Alto, CA 94304

March 26, 2001

### Abstract

Many communication and social networks have power-law link distributions, containing a few nodes which have a very high degree and many with low degree. The high connectivity nodes play the important role of hubs in communication and networking, a fact which can be exploited when designing efficient search algorithms. We introduce a number of local search strategies which utilize high degree nodes in power-law graphs and which have costs which scale sub-linearly with the size of the graph. We also demonstrate the utility of these strategies on the Gnutella peer-to-peer network.

## 1 Introduction

A number of large distributed systems, ranging from social [13] to communication [11] to biological networks [9] display a power-law distribution in their node degree. This distribution reflects the existence of a few nodes with very high degree and many with low degree, a feature not found in standard random graphs [5]. An illustration of the power-law nature of such networks is given by the AT&T call graph. A call graph is a graph representation of telephone traffic on a given day in which nodes represent people and links the phone calls among them.

As is shown in Figure 1, the out-link degree distribution for a massive graph of telephone calls between individuals is power-law, with an exponent of approximately 2.1. The




Figure 3: Scaling of the average node to node search time in a random power-law graph with exponent 2.1, for random and high degree seeking strategies.




Figure 4: Scaling of the time required to cover one half the graph for random and high degree seeking strategies.


# Does Industry Care? Yes!

- Disruptive Technology

- Appliance Servers



- Grid Software




- Peer Servers



- Peer Clients




- Peer Infrastructure



## Local Knowledge Networking

### Introduction



This is a compilation of ideas for a project on local knowledge networking. It is related to the recent Peer to Peer phenomenon, but attempts to distill out a more formal framework for understanding such systems.

### What is Local Knowledge Networking?

Local Knowledge Networks establish computing sessions without central control, with no fragile global state, thus are more adaptive during failure and are more robust. They propagate requests via alternative techniques such as rings of neighbors. Study of these systems has yet been sparse. Sun has started a core effort in this area, Jxta, and has developed an earlier digital collection library system, LOCKSS. Sun's recent acquisitions of Grid, Cobalt and InfraSearch are potential components of local knowledge fabrics.

### Project Goal:

Create tools for analyzing Local Knowledge Networks by building a prototype "Peer" system, using existing components being developed within Sun, while in parallel building concrete, Java based, multi-agent models for investigating system properties such as scaling, session management and local trust models.

